

CB & VHF/UHF Series



The World Wide Leader in Antenna

VHF/UHF ANTENNA

Base Station



BS-302-1

Frequency : 144-146MHz

Gain : 7.8dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Max Power : 200W

Mount : M Type

Material : Fiberglass

Dimension : 4359 x 29 x 10mm

Weight : $\approx$ 1.6kg

Color : White

Connector : PL259

Sections : 3

Polarization : Vertical

Wind : 40m/sec

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




ISO 9001



BS101-1配件包裝



OM88SNF
配件組



BS101不鏽鋼天線(x3)



AC2301M5六角螺母(x3)



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL
NO.

BS-302-1

Y.W.C

2020.08.21


1:3

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 145 MHz

IFBW 70 kHz

Span 20 MHz Cor

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

Multipoint Test Set
Setup

Misc Setup

Backlight

ON

Firmware

Revision

CB & VHF/UHF Series




The World Wide Leader in Antenna


Packaging

***1 pc Antenna
PE bag/ each**

PVC bag



**10 pcs per carton
Carton Dimensions: 165*20*18cm**



ISO 9001