

CB & VHF/UHF Series



The World Wide Leader in Antenna

CB ANTENNA

CB-2307M

Frequency : 26-28Mhz

V.S.W.R. : <1.2:1

Max Power : 1200W

Impedance : 50 Ohm

Material : ABS/ZINC/SUS

Connector : PL259 (Optional)

Mount : $\phi 16\text{mm}$, "S0239"

Weight : 920g

Dimension : 1909 x 42mm

Color : Black

Polarization : Vertical

Temperature : -20°C to $+60^{\circ}\text{C}$




EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	CB-2307M	<i>Ben</i> 20140331	C.H.C 2014.03.05	1 : 2	mm


Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 27 MHz IFBW 70 kHz Span 10 MHz Cor I

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision

Meas Stop ExtRef Ready Svc 2018-07-06 14:00

Item No. FC-CB-2307M

Inspector: Amber


CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25 pcs Bulk /per Carton**
Dimensions:200*20*20cm



ISO 9001