

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

CB ANTENNA

CB-2308



Frequency : 26-28Mhz

V.S.W.R : <1.1:1

Max Power: 500W

Impedance : 50 Ohm

Material : ABS / SUS

Mount: M Type

Weight: 300g

Dimension: 1500x34mm

Polarization: VERTICAL

Temperature:-20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	CB-2308		C.H.C	1 : 2	mm
					2011.06.01		


Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Center 27.225 MHz IFBW 70 kHz Span 10 MHz Cor !

Meas Stop ExtRef Ready Svc 2018-07-27 09:53

Item No. :FG-CB-2308

Inspector: Amber


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***50 pcs Bulk /per Carton
Dimensions:160*20*20cm**

