

**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

CB ANTENNA

CB-2330NP



Frequency : 26-28Mhz

V.S.W.R. : <1.2:1

Max Power : 200W

Impedance : 50 Ohm

Material : SUS/ABS/ZINC

Mount : ϕ 12.5mm NP Type

Color : Black

Connector: PL259 (Optional)

Weight : 500g

Dimension : 1625x45x5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

CB-2330NP

C.H.C

1:2


mm

2009.05.18


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Marker 4 27.20000000 MHz

Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 27 MHz

IFBW 70 kHz

Span 20 MHz

Meas Stop ExtRef Ready Svc 2007-12-06 08:28


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25 pcs Bulk /per Carton**
Dimensions:170*20*20cm

