

CB & VHF/UHF Series



The World Wide Leader in Antenna

CB ANTENNA

CB-2337UP



Frequency : 26-28Mhz

V.S.W.R : <1.5:1

Max Power: 500W

Impedance : 50 Ohm

Material : ABS/SUS

Mount: M Type

Weight: 420g

Dimension: 1626x37.50mm

Polarization: VERTICAL

Temperature:-20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

CB-2337UP

C.H.C


1:2

mm


Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 27 MHz

IFBW 70 kHz

Span 10 MHz Cor !

Meas

Stop

ExtRef

Ready

Svc

2018-08-24 10:28

Item No. :FG-CB-2337UP

Inspector: Amber


CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***40 pcs Bulk /per Carton**
Dimensions:165*20*18cm



ISO 9001