

CB & VHF/UHF Series



The World Wide Leader in Antenna

CB ANTENNA

CB-2338NP



Frequency : 26-28Mhz

V.S.W.R : <1.5:1

Max Power: 200W

Impedance : 50 Ohms

Material : COPPER/ABS/SUS

Mount : $\varnothing$ 12.5mm NP Type

Weight : 560g

Dimension : 1643x41x5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C


EVERCOM COMMUNICATION TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001




Evercom Communication Technology Co., Ltd. Frequency Inspection Report


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 27.225 MHz

IFBW 70 kHz

Span 10 MHz

Cor

Meas

Stop

ExtRef

Ready

Svc

2018-02-02 10:54

Item No. :FG-CB-2338NP

Inspector: Amber


CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25pcs Bulk /per Carton**
Dimensions:170*20*20cm



ISO 9001