

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

CB ANTENNA

CB-59NP



Frequency : 26-28Mhz

V.S.W.R. : <1.2:1

Max Power : 200W

Impedance : 50 Ohm

Material : SUS/ZINC/Fiberglass

Mount : ϕ 12.5mm NP Type

Color : Black

Connector: PL259 (Optional)

Weight :440g

Dimension : 946x41x10.5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	CB-59NP	<i>Ben</i>	C.H.C	1:2	mm
				20140331	2014.02.18		

Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision

Meas Stop ExtRef Ready Svc 2012-12-28 12:04

Item No. : FG-CB-59NP

Inspector: Amber


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25 pcs Bulk /per Carton
Dimensions:105*20*18cm**

