

**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-1221



Frequency : 144~146MHz

Gain : 4.1dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : M Type

Max Power : 200W

Material : ABS /Copper/SUS

Weight : ≒ 220g

Dimension : 1524 x 31 x 4mm

Color : White Chrome

Polarization : Vertical

Temperature : -30°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	DB-1221		C.H.C	1 : 2	mm
						2010.05.19		


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

► S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Start 120 MHz IFBW 70 kHz Stop 190 MHz Cor |

Meas Stop ExtRef Ready Svc 2016-06-22 14:17

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON

Firmware Revision


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pc Antenna PE package/
each**



**25 PCS Per Carton
Carton Dimensions:165*20*20cm**

