

## CB & VHF/UHF Series



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## DB-3206



Frequency : 144 /430MHz

Gain : 2.15 dB

V.S.W.R. : <1.5:1

Power : 10W

Impedance : 50 Ohms

Cable : N/A

Material : Copper / ABS/ SUP

Weight : 35 g

Color : Black

Dimension : 130~335 X 14X 7mm

Mount : BNC

Polarization : Vertical

Temperature : -20°C to +60°C

© 2017 EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

DB-3206

20130109


C.H.C  
2012.12.14

1 : 1.5


mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 100 MHz

IFBW 70 kHz

Stop 500 MHz

Cor

Meas

Stop

ExtRef

Ready

Svc

2018-05-18 08:52

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump  
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision


## CB & VHF/UHF Series




*The World Wide Leader in Antenna*

## Packaging

1 pcs Antenna /PE bag each



250 PCS Per Carton  
Carton Dimensions: 50\*40\*20cm



ISO 9001

## CB & VHF/UHF Series



*The World Wide Leader in Antenna*

# Antenna Applications

