

**CB &VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## DB-3207



Frequency : 144 -146MHz

Gain : 2.15dB

V.S.W.R. : <1.5:1

Power: 20W

Impedance : 50 Ohms

Cable : N/A

Material : Copper / POM/ Heat Tube

Weight : 90 g

Color: Black

Dimension : 235~1343 X 13.8 X 10mm

Mount : BNC

Polarization : Vertical

Temperature : -20°C to +60°C


© 2017 EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

DB-3207

*Ben*

2013/01/09

C.H.C

2013/01/09


1 : 2

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Start 120 MHz

IFBW 70 kHz

Stop 190 MHz Cor

Meas Stop ExtRef Ready Svc 2016-06-22 14:17

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON

Firmware

Revision


# CB & VHF/UHF Series




*The World Wide Leader in Antenna*

## Packaging

1 pcs Antenna /PE bag each



200 PCS Per Carton  
Carton Dimensions: 30\*30\*20cm



**CB &VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# Antenna Applications

