

CB & VHF/UHF Series



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-3219



Frequency : 144 -430 MHz

Gain : 2.15dB

V.S.W.R. : <1.5:1

Power : 20W

Impedance : 50 Ohms

Max Power : 20W

Material : Copper/ABS/ SUP

Dimension : 78~410 x 13.8 x 9mm

Weight : 35g

Color : Black

Mount : BNC

Polarization : Vertical

Temperature : -20℃ to +60℃


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

DB-3219


C.H.C

2011.02.25

1 : 2

mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON

Firmware

Revision

1 Start 100 MHz

IFBW 70 kHz

Stop 500 MHz

Cor

Meas

Stop

ExtRef

Ready

Svc

2011-01-28 09:27



ISO 9001

EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

MADE IN TAIWAN

CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

1 pcs Antenna /PE bag each



500 PCS Per Carton
Carton Dimensions: 50*30*20cm



ISO 9001

CB & VHF/UHF Series



The World Wide Leader in Antenna

Antenna Applications

