



*The World Wide Leader in Antenna*

# GPS Antenna

## GPM-8



Frequency : 824-960 / 1710-1990/  
1575.42MHZ

Gain : 2dBi

Connector : MMCX, MCX, SMA, SMB,  
BNC, TNC, FME

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG174 3M x 2

Weight : 160g

Material : ABS Polymer

Polarization : R.H.C.P

Color : Black

Mount : 3M Tape

Temperature : -30°C to +80°C

Dimensions : ø56 x 17.5mm

Voltage supply : 3.3.....5V

Amplification : 27dB


Noise Figure : 1.5dB

Current Consumption : Max. 27mA



**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	GPM-BSM3/FF3		<i>Ben</i> 20180510	C.H.C 2018.04.12	1 : 1.5	mm





*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**50 pcs per carton  
Carton Dimensions:40\*30\*20cm**

