














The World Wide Leader in Antenna


GSM Antenna

TC-102



Frequency : 824-960 / 1710-1990/2200MHZ
Gain : 3dB
V.S.W.R : <1.5:1
Impedance:50 ohm
Connector : SMA/Male (Optional)
Cable : RG174 3M (Optional)
Material : Copper/ ABS
Weight: 70g
Length: 88.5mm
Color: Black
Polarization: Vertical
Mount: Magnet Type
Temperature:-20℃ to +60℃
Max. Power: 10W

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.
 No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.
 Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TC-102SMA-M2.5		C.H.C	1 : 1	mm


Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor

Meas Stop ExtRef Ready Svc 2018-11-22 14:01

Item No. :FG-TC-102SMA-M2.5

Inspector: Amber












The World Wide Leader in Antenna

Packaging

*1 pc Antenna
PE bag/ each

100 pcs per carton
Carton Dimensions:40*30*20cm

