




*The World Wide Leader in Antenna*

# GSM Antenna

## FG-TC-106D



Frequency : 824-960/1710-1990/2200MHZ

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : SMA(Optional)

Cable : 3meter of RG174 (Optional)

Material : Copper, ABS

Weight:  $\approx$  66g

Color: Black


Polarization: Vertical

Temperature:-20°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




Evercom Communication Technology Co., Ltd. Frequency Inspection Report


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor I

Meas Stop ExtRef Ready Svc 2016-11-30 11:03

Item No. :FG-TC-106DSMA-M3

Inspector: Amber



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**

**100 pcs per carton  
Carton Dimensions:40\*30\*20cm**

