












The World Wide Leader in Antenna


GSM Antenna

TC-109



Frequency : 900 /1800/ 1900 /2200MHZ
Gain : 3dB
V.S.W.R : <2.0:1
Impedance: 50 ohm
Connector : SMA/Male (Optional)
Cable : RG174 3M (Optional)
Material : Steel/ ABS/ TPR
Length: 210.5mm
Weight: 74g
Color: Black
Polarization: Vertical
Mount: Magnet Type
Temperature:-20℃ to +60℃
Max. Power: 10W


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.
 No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.
 Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz [Cor]

Meas Stop ExtRef Ready Svc 2018-12-24 14:07

Item No. :FC-TC-109SMA-M3

Inspector: Amber












The World Wide Leader in Antenna

Packaging

*1 pc Antenna
PE bag/ each

100 pcs per carton
Carton Dimensions:40*30*20cm

