



The World Wide Leader in Antenna

GSM Antenna

TC-1306



Frequency : 824-960 / 1710-1990/2200MHZ

Gain : 3dB

Connector : FME/F (Optional)

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58 3.6M

Length : 237.5mm

Weight : 280g

Material : TRP/ Steel

Polarization : Vertical

Color : Black


Mounting : Magnet Type

Temperature : -20°C to + 60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



CABLE RG58/U LENGTH 12ft FME FEMALE

	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-1306EU			C.H.C 2014.12.04	1:2	mm

Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]

1	824.00000 MHz	-29.346 dB
2	960.00000 MHz	-14.602 dB
3	1.7100000 GHz	-13.076 dB
4	1.9900000 GHz	-17.422 dB
5	850.00000 MHz	-21.152 dB
6	900.00000 MHz	-18.040 dB
7	1.8000000 GHz	-27.567 dB
8	1.9000000 GHz	-24.154 dB
9	2.2000000 GHz	-12.905 dB

Tr2 S11 SWR 1.000/ Ref 1.000 [R0]

1	824.00000 MHz	1.0706
2	960.00000 MHz	1.4581
3	1.7100000 GHz	1.5759
4	1.9900000 GHz	1.3112
5	850.00000 MHz	1.1925
6	900.00000 MHz	1.2937
7	1.8000000 GHz	1.0915
8	1.9000000 GHz	1.1431
9	2.2000000 GHz	1.5864

1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor

Meas Stop ExtRef Ready Svc 2015-11-17 08:57

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision

Item No. : FG-TC-1311EU Inspector: Amber



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**



**25 pcs per carton
Carton Dimensions:50*40*15cm**

