



The World Wide Leader in Antenna

GSM Antenna

TC-1309



Frequency : 824-960 / 1710-1990/2200MHZ

Gain : 9dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : SMA/Male (Optional)

Cable : RG58 3.6M (Optional)

Length : 994mm

Weight : 560g

Material : SUS/ TRP/ Steel

Color : Black

Polarization : Vertical


Mounting : Magnet Type

Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.


Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-1309SMA-M			C.H.C 2014.12.08	1:2.5	mm

Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

E5091A Setup

Misc Setup

Backlight ON

Firmware Revision

1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor! Meas Stop ExtRef Ready Svc 2018-11-08 08:56

Item No. :FC-TC-1309SMA-M


Inspector: Amber



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**



**25 pcs per carton
Carton Dimensions:105*20*20cm**

