



The World Wide Leader in Antenna

GSM Antenna

TC-1313



Frequency : 824-960 /1800-1900/1710-1990MHZ

Gain : 13dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : FME/F (Optional)

Cable : RG58 3.6M (Optional)

Length : 972 mm

Material : SUS/ TRP/ Steel

Weight : ≈ 720g

Color : Black

Polarization : Vertical


Mounting : Magnet Type

Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TC-1313EU		C.H.C	1 : 4	mm
						2011.12.12		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight
ON

Firmware Revision



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**25 pcs per carton
Carton Dimensions: 80*40*15cm**

