



The World Wide Leader in Antenna

GSM MHz Car Roof Antenna

TC-204



Frequency : 824-960MHz

Gain : 5dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : SMA,FME...(Optional)

Cable : RG58 (Optional)

Material : Steel/TRP/ PVC

Weight: ≐ 240g

Length : 250mm

Color: Black

Mounting : Roof Type

Polarization: Vertical

Temperature:-30℃ to +70℃

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD				CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TC-204		<i>Ben</i> 2013.11.21	<i>C.H.C</i> 2013.11.20	1 : 2	mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz

IFBW 70 kHz

Stop 2.5 GHz

Cor

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

Multiport Test Set
Setup

Misc Setup

Backlight

ON

Firmware


Revision



Packaging

***1 pc Antenna
PE bag/ each**

**50 pcs per carton
Carton Dimensions:50*40*20cm**



ISO 9001