



The World Wide Leader in Antenna

GSM Antenna

TC-218NMO



Frequency : 900 / 1800/ 1900MHZ

Gain : 5dB

Connector : FME, Mini-UHF, TNC

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58

Length : 317mm

Weight : 100g

Material : Copper/ SUP/ ABS

Polarization : Vertical

Color : Black

Mounting : NMO

Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TC-218NMO		<i>Ben</i> 20150428	C.H.C 2011.07.29	1 : 1.5


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor |

Meas Stop ExtRef Ready Svc 2012-06-04 10:03

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision



The World Wide Leader in Antenna

Packaging

*1 pc Antenna
PE bag/ each

50 pcs per carton
Carton Dimensions:40*30*20cm

