



**GSM
UMTS
LTE**

The World Wide Lead Antenn

Your
3G
Signal



Your
GPS
Signal

GSM Antenna

TC-6303



Frequency : 860~960 MHZ

Gain : 5dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : TNC (Optional)

Cable : RG58

Length: 318 mm

Material : ABS/ Steel

Weight: 300g

Color: Black

Polarization: Vertical


Mount: 3M Tape

Temperature: -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-6303EU			C.H.C 2009.10.07	1 : 2	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



Marker Search

Max

Min

Peak

Target

Tracking OFF

Search Range OFF

Bandwidth OFF

Bandwidth Value -3.0000 dB

Return

Meas Stop ExtRef Ready Svc 2010-12-29 16:32



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**20 pcs per carton
Carton Dimensions: 50*40*20cm**

