



GSM Antenna

TC-6309





Frequency : 900/ 1800/ 1900 MHZ
Gain : 0dB
V.S.W.R : <1.5:1
Impedance: 50 ohm
Connector : FME/ F (Optional)
Cable : RG58
Length: 117 mm
Material : ABS/ Steel
Weight: 260g
Color: Black
Polarization: Vertical
Mount: 3M Tape
Temperature:-20℃ to +60℃

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



MINI UHF MALE

CABLE RG-58U LENGTH 14ft

FME FEMALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TC-6309EU

C.H.C.


2012.08.03

1 : 2


mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 700 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor

Meas

Stop

ExtRef

Ready

Svc

2010-04-07 11:49

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

Multiport Test Set
Setup

Misc Setup

Backlight

ON

Firmware

Revision












The World Wide Leader in Antenna

Packaging

*1 pc Antenna
PE bag/ each

50 pcs per carton
Carton Dimensions: 50*30*20cm

