



WIFI-6E Antenna

TRB-TC-901NF




Frequency :2400~2500/5150~5900/7125MHZ
Gain: 9dBi
V.S.W.R: <1.9:1
Power: 50W
Impedance: 50 ohm
Connector: N-Female
Cable: N/A
Polarization: Vertical
Material: Fiberglass
Length: 837mm
Color: White
Weight: 400g
Mount: AC-402X BRACKET+U
Temperature: -40°C to +80°C
Water Proof : IP67
Wind Load: 100km/h




PN:AC-402X



EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.
No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.
Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




EVERCOM COMMUNICATION TECHNOLOGY CO; LTD				CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME		MODEL NO.	TRB-TC-901NF		<i>Ben</i> 20171113	C.H.C 2017.11.06	1 : 3	mm




EVERCOM COMMUNICATION TECHNOLOGY CO; LTD				CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME		MODEL NO.	AC-402X		<i>Ben</i> 20131204	C.H.C 2013.12.02	1 : 1.5	mm

Test report

2023/2/6 下午 02:33:13




2023/2/6 下午 02:36:07






Packaging

1 pc Antenna /Yellow PVC bag each



20 PCS Per Carton
Carton Dimensions:95*20*15cm





Antenna Applications

