



The World Wide Leader in Antenna

DVB-T ANTENNA

TV-M88F



Frequency : 174~230/470~860MHz

Gain : 3 dB

V.S.W.R : <1.5:1

Connector : F/M

Impedance : 75 Ohms

Material : Copper/ TRP/ SUP

Cable : RG 59U (Optional)

Weight : 366g

Dimension : 451 x 80 x 5 mm

Mounting : Magnet Type

Color : Black


Polarization : Vertical

Temperature : -30°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




CABLE RG-59/U LENGTH 1.5M(5ft)

F MALE

	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TV-M88F-M1			C.H.C 2017.05.17	1:2	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump Screen Image...

E5091A Setup ▶

Misc Setup ▶

Backlight
ON

Firmware Revision


Meas Stop ExtRef Ready Svc 2020-08-28 13:53



The World Wide Leader in Antenna

Packaging

*1 pc Antenna
PE bag/ each



25 pcs per carton
Carton Dimensions:50*40*15cm

