

4G LTE

# 4G LTE Antenna

## UMB-TC877



Frequency :700~2700MHZ

Gain : 4dBi

Connector : SMA/M (Optional)

V.S.W.R : <2:1

Impedance : 50 ohm

Cable : RG174 1M(Optional)

Weight : 40 g

Material : ABS Polymer

Polarization: Linear (V or H)

Color : Black

Mounting : 3M Tape

Temperature : -20°C to + 60°C


Max. Power: 10W

Dimension:  $\varnothing$ 103 x 25.5mm

© 2016 EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




CABLE RG174A/U LENGTH 110cm



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	UMB-TC877SMA-M1		C.H.C	1 : 2	mm
				2016.08.24		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump Screen Image...

E5091A Setup ▶

Misc Setup ▶

Backlight  
ON

Firmware Revision

Meas Stop ExtRef Ready Svc 2021-01-15 14:48

4G LTE

1 pcs antenna PE bag/ each

20cm

11cm

20cm

30cm

40cm

\*200 pcs Bulk per carton  
Carton Dimensions:40\*30\*20cm

# 4G LTE

## Antenna Applications

