



The World Wide Leader in Antenna

# 2.4GHz Antenna

## WLD-06SM/M



Frequency : 2.4-2.5GHz

Gain : 1.9dBi

V.S.W.R : <2.0:1

Impedance : 50 ohm

Connector : SMA/RP, SMA

Material : TPR

Length : 61mm

Weight : ≐ 10g

Color : Black

Polarization : Vertical

Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.



No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001

DATE	DESCRIPTION	REV
2021.10.01	First drawing	A




SMA MALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NO.	WLD-06SM/M			Y.W.C 2021.10.01	2:1	mm

Evercom Communication Technology Co., Ltd. Frequency Inspection Report

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump  
Screen Image...

E5091A Setup

Misc Setup

Backlight  
ON

Firmware  
Revision

Meas Stop ExtRef Ready Svc 2018-10-02 13:38

Item No. :WG-WLD-06SM/M

Inspector: Amber



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
Zipper bag/ each**



**1000 pcs per carton  
Carton Dimensions:30\*30\*20cm**

