



*The World Wide Leader in Antenna*

# GSM Antenna

## YAGI-23



Frequency : 254-380 MHZ

Gain : 8dB

Connector : UHF/F

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : N/A

Length : 970mm

Weight : ≐ 1.3kgs

Material : Aluminum

Polarization : Linear (H) or (V)

Color : Anode

Mounting : U-Bolts

Temperature : -20°C ~ +60°C

Max. Power : 50W


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

YAGI-23

*Ben*  
20121211

C.H.C  
2012.12.07


1 : 5

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0 Smo]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Center 317 MHz

IFBW 100 kHz

Span 200 MHz 16/16 Cor

Meas Stop ExtRef Ready Svc 2016-08-03 11:05

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON

Firmware


Revision



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
box / each**



**10 pcs per carton  
Carton Dimensions: 105\*40\*38cm**

